


University of Cihan-Sulaimaniya  
Engineering Faculty  
Architectural Engineering Department



# ENGINEERING MECHANICS

## Chapter 1: General Principle (Static)

2<sup>nd</sup> Grade- Fall Semester 2023-2024

Instructor: Diyari B. Hussein

Communitising Technology


## Chapter Description

- Aims
  - To introduce the fundamental concepts (basic quantities and idealizations) applied in mechanics
  - To describe the Newton's Laws in Motion and Gravitation
  - To review the application of SI units
- Expected Outcomes
  - Able to implement the fundamental concepts and Newton's principle which involved in the mechanics applications
- References
  - Russel C. Hibbeler. Engineering Mechanics: Statics & Dynamics, 13<sup>th</sup> Edition
  - .....

Communitising Technology


## Chapter Outline

1. Mechanics
2. Fundamental Concepts
3. Units of Measurement
4. The International System of Units
5. Numerical Calculation
6. Example Calculation





Communitising Technology

## 1.1 Mechanics



- Statics  
Equilibrium of bodies,  
at rest or move with a  
constant velocity
  
- Dynamics  
Accelerated motion of  
bodies

Communitising Technology





## 1.2 Fundamental Concepts (Newton's Law)


### First Law

A particle is in the rest position (no motion) or moving in straight line with constant velocity or else in equilibrium.



Source: <http://www.physicsclassroom.com>



 Why do passengers get thrown to the side when the car they are driving in goes around a corner?



*Both car and driver in the same position*



*But when the car turn to the left, the driver try to maintain the same position (inertia)*




*Then, the car and driver back into the same position*

### Second Law

A particle is in the motion (unbalance force) which produce an acceleration in the same direction as the force and magnitude.

$$F = ma$$



Communitising Technology

### Third Law

Action and reaction forces between two particles are equal, opposite, and collinear



Action = Reaction

$$F_{AB} = - F_{BA}$$

Communitising Technology

## Newton's law of Gravitational Attraction

A particle attracts other particles in the universe using gravity force whether direct proportional to the masses of objects or inverse proportional to the square of the distance between their centers.

$$F = G \frac{m_1 m_2}{r^2}$$

F = force of gravitation between two particles  
 G = universal constant of gravitation  $66.73 \times 10^{-12} \text{m}^3/(\text{kg}\cdot\text{s}^2)$   
 $m_1, m_2$  = mass of each of the two particles  
 r = distance between the two particles

Communitising Technology

## Weight

This force influenced only by gravitational force.  
 Therefore:

Weight, 
$$W = G \frac{m M_e}{r^2}$$
*m = mass of particle*  
*M<sub>e</sub> = mass of earth*

Let say: 
$$g = G \frac{M_e}{r^2}$$
*g = based on sea level and latitude of 45°*  
*Standard rate: 9.81m/s<sup>2</sup>*

Thus, 
$$W = mg$$

Communitising Technology

## 1.3 Units of Measurement

- The International System (SI) system have been applied as a standard measurement unit.

Table 1: Basic Units

Name	Unit
Length	Meter (m)
Time	Second (s)
Mass	Kilogram (kg)
Force	Newton (N)

Communitising Technology

## 1.4 The International System of Units

- Purpose of Prefixes is to convert the very large/small quantity into proper unit

Table 2: Prefixes

Prefixes	Value	Standard form	Symbol
Tera	1 000 000 000 000	$10^{12}$	T
Giga	1 000 000 000	$10^9$	G
Mega	1 000 000	$10^6$	M
Kilo	1 000	$10^3$	k
deci	0.1	$10^{-1}$	d
centi	0.01	$10^{-2}$	c
milli	0.001	$10^{-3}$	m
micro	0.000 001	$10^{-6}$	$\mu$
nano	0.000 000 001	$10^{-9}$	n
pico	0.000 000 000 001	$10^{-12}$	p

Source: <http://spmphysics.onlinetuition.com.my>

Communitising Technology

### Example:

Large quantity

$5,000,000 \text{ N}$ 
→
 $5,000 \text{ kN @ } 5 \text{ MN}$

Small quantity

$0.004 \text{ m}$ 
→
 $4 \text{ mm}$

prefix

@

unit

prefix

mm

unit


Communitising Technology

### Rules:

- 1) Multiple units must be separated by the dot  
Eg:  $\text{N} = \text{kg} \cdot \text{m} / \text{s}^2 = \text{kg} \cdot \text{m} \cdot \text{s}^{-2}$
- 2) The **exponential power of the unit** represented for both unit and prefix  
Eg:  $\mu\text{N}^2 = (\mu\text{N})^2 = \mu\text{N} \cdot \mu\text{N}$
- 3) Convert all prefixes into power of 10  
 $50\text{kN} \times 60\text{nm} = 3000\text{kNm} = 3\text{mN} \cdot \text{m}$
- 4) Symbols of prefixes are in **lowercase letters**, except Tera (T), Mega (M), and Giga (G)
- 5) With exception of base unit kilogram, avoid use of prefix in the denominator of composite units  
Eg: i)  $\text{N} / \text{mm} \rightarrow \text{kN} / \text{m}$   
ii)  $\text{m} / \text{mg} \rightarrow \text{Mm} / \text{kg}$

Communitising Technology





## Example Calculations:

### Example 1

Solve the problems below and express in SI units with appropriate prefix:

(a) 50 mN x 6 GN (ans: 300 kN<sup>2</sup>)

(b) 400 mm x (0.6 MN)<sup>2</sup> (ans: 144 Gm.N<sup>2</sup>)

(c) 55 MN<sup>3</sup>/900 Gg (ans: 61 kN<sup>3</sup>/kg)

Communitising Technology

## Conclusion of The Chapter 1

- Conclusions
  - The fundamental concepts of mechanics including basic quantities and units were introduced and applied in the mechanics
  - The Newton's law in Motion and Gravitations have been identified and implemented in the mechanics



Communitising Technology



# Thank you

Communitising Technology