

University of Cihan-Sulaimaniya  
Engineering Faculty  
Architectural Engineering Department



# ENGINEERING MECHANICS

## Chapter 4: Force System Resultants

2<sup>nd</sup> Grade- Fall Semester 2024-2025

Instructor: Diyari B. Hussein

Communitising Technology

## Chapter Description

- **Aims**
  - To explain the Moment of Force (2D-scalar formulation & 3D-Vector formulation)
  - To explain the Principle Moment
  - To explain the Moment of a Couple
  - To explain the Simplification of a Force and Couple System
  - To explain the Reduction of Simple Distributed Loading
- **Expected Outcomes**
  - Able to solve the problems of MOF and COM in the mechanics applications by using principle of moments
- **References**
  - Russel C. Hibbeler. Engineering Mechanics: Statics & Dynamics, 14<sup>th</sup> Edition

Communitising Technology

## Chapter Outline

1. Moment of Force (MOF) –Part I
2. Principle of Moment –Part II
3. Moment of Couple (MOC) Part III
4. Simplification of a Force and Couple System
5. Reduction of Simple Distributed Loading- part IV




Communitising Technology

## 4.1 Moment of a Force

- Moment can be defined as **turning force**
  - The **tendency of a force to rotate** a rigid body about any defined axis is called the **moment of the force** about the axis
  - It is also called a **torque** or **twist moment** that tendency of a force to rotate a body about the axis
  - It is a **vector**, so its has both **magnitude** and **direction** (right handrule)
  - +ve **CCW** & -ve **CW**
  - Unit used is **N.m**
- In a 2-D case, the **magnitude** of the moment

What is Moment?

Perpendicular distance between the point about which the moment is required and the line of action of force



Force acting on the body

$$M_o = F d$$

Communitising Technology

## Application of Moment (turning effect)

**Causes of motion**

**Day life activity-moment arm**

**How does wheel size affect performance?**

**Seesaw-how to balance?**

Communitising Technology

## Moment factor

**MOF is bigger if the force is bigger**

**Bending Moment**

Moment = Force x Distance  
 Moment = 1000N x 4m  
 Moment = 4000Nm

A beam supported at one end only is called a cantilever.

**MOF is bigger if acts further from the pivot**

**MOF is bigger if it acts at 90 to the body it acts on**

Communitising Technology

## Moment of a force in 2-D (scalar formulation)

Magnitude

- $M_O = Fd$
- $d$  is the **perpendicular** distance from point  $O$  to the **line of action** of the force

Direction

- Direction of  $M_O$  is specified by using "right hand rule"
- **direction** of  $M_O$  is either clockwise (CW) or counter-clockwise (CCW), depending on the tendency for rotation

(a) Sense of rotation  
(b)

$M_O = Fd$

direction is counter-clockwise.

$M_{R0} = \sum Fd$

Communitising Technology

## Moment of a force in 2-D (scalar formulation)

Moment of a force does not always cause rotation

**Force F** tends to rotate the beam clockwise about A with moment

$M_A = F d_A$

**Force F** tends to rotate the beam clockwise about B with moment


$M_B = F d_B$

Hence support at A prevents the rotation

Communitising Technology

## Example 4.1


This is an example of a 2-D or coplanar force system. Determine the MOF about point O



Communitising Technology

## Solution Example 4.1

This is an example of a 2-D or coplanar force system. Determine the MOF about point O




Communitising Technology

## Solution Example 4.1


This is an example of a 2-D or coplanar force system. Determine the MOF about point O

Step 3: assume tendency to rotate/ moment



Step 2: det. The line of action/ moment arm (d)

$$M_O = Fd = (60 \text{ N}) (1 \sin 45^\circ \text{ m}) = 42.4 \text{ Nm} \quad \curvearrowright \quad (\text{CCW})$$



Step 2: det. The line of action/ moment arm (d)


$$M_O = Fd = (7 \text{ kN}) (4 \text{ m} - 1 \text{ m}) = 21 \text{ kNm} \quad \curvearrowright \quad (\text{CW})$$

Communitising Technology

## Example 4.2

This is an example of a 2-D or coplanar force system. Determine the moments of the 800 N force acting on the frame about points A, B, C and D

Step 1: FBD (Sketch outline shape)



Step 2: det. The line of action/ moment arm (d)

Step 3: assume tendency to rotate/ moment

Step 4: use formula


$$M_A = Fd = (800 \text{ N}) (1.5 + 1 \text{ m}) = 2000 \text{ Nm} \quad \curvearrowright \quad (\text{CW})$$

Communitising Technology

## Solution Example 4.2

This is an example of a 2-D or coplanar force system. Determine the moments of the 800 N force acting on the frame about points A, B, C and D

Step 1: FBD  
(Sketch outline shape)



Step 2: det. The line of action/ moment arm (d)

Step 3: assume tendency to rotate/ moment

Step 4: use formula


$$M_B = Fd = (800 \text{ N}) (1.5 \text{ m}) = 1200 \text{ Nm} \quad (\text{CW})$$

Communitising Technology

## Example 4.2

This is an example of a 2-D or coplanar force system. Determine the moments of the 800 N force acting on the frame about points A, B, C and D

Moment is zero



Step 2: line of action F passes through C


Step 4: use formula

$$M_C = Fd = (800 \text{ N}) (0 \text{ m}) = 0 \text{ Nm}$$

Communitising Technology

## Solution Example 4.2

This is an example of a 2-D or coplanar force system. Determine the moments of the 800 N force acting on the frame about points A, B, C and D



Step 4: use formula

$$M_D = Fd = (800 \text{ N})(0.5 \text{ m}) = 400 \text{ Nm} \quad (\text{CCW})$$


Communitising Technology

## Solution Example 4.3

This is an example of a 2-D or coplanar force system. Determine the moments of the four force acting on the rod about point O

Step 4: use formula

Step 3: assume moment acts in + y direction



$$M_{Ro} = \sum Fd$$

$$M_{Ro} = (-50 \text{ N})(2 \text{ m}) + (60 \text{ N})(0 \text{ m}) + (20 \text{ N})(3 \sin 30^\circ \text{ m})$$

$$- (40 \text{ N})(4 \text{ m} + 3 \cos 30^\circ \text{ m})$$

$$= -334 \text{ N.m}$$


$$= 334 \text{ N.m} (\text{CW})$$

Step 2: det. The line of action/ moment arm (d) for each forces

Communitising Technology

## Example 4.4


Determine the moments of the 100 N force acting on the frame about point O



Communitising Technology

## Solution Example 4.4

Determine the moments of the 100 N force acting on the frame about point O



$$+ \uparrow F_y = -100 (3/5) \text{ N}$$

$$+ \rightarrow F_x = 100 (4/5) \text{ N}$$

$$+ M_O = \{-100 (3/5) \text{ N} (5 \text{ m}) - (100)(4/5) \text{ N} (2 \text{ m})\} \text{ N} \cdot \text{m}$$

$$= -460 \text{ N} \cdot \text{m} \quad \text{or } 460 \text{ N} \cdot \text{m CW}$$

Communitising Technology

## Conclusion of The Chapter 4

- Conclusions

- The Moment of a Force been identified
- The Vector cross product have been implemented to solve Moment problems in Coplanar Forces Systems



Communitising Technology



# Thank you

Communitising Technology